Groundfish Advisory Panel Meeting

Webinar

November 17, 2025



Groundfish Outlook by Quarter in 2025, updated November 13, 2025, NEFMC Staff

	·	y eduiter in 2025, apaace	·	
Council Priority*	Jan – Mar	Apr - Jun	July - Sept	Oct - Dec
Amendment 23 Review	Complete development	of metrics and indicators	On pause given chang	ge in Council priorities
Framework Adjustment 69	Preliminary & Final Submissions			
Amendment 25	Final Submission	NOAA disap Council priorit to revise and I	y change on	Preliminary & Final Submissions
Recreational Measures	Develop recommendations for cod & haddock	Emergency Measures Implemented		
Framework Adjustment 72		Initiate action	Develop specifications & measu	res, conduct analysis Final action
Redfish Sector Exemption Review		Develop review	On pause given chan	ge in Council priorities
ABC Control Rules Framework (68)	Staff tracks implementation strategy for revised Risk Policy, contract work conducted to evaluate integration of revised Risk Policy with revised ABC CRs			
Atlantic Cod Management	Continue to develop transition plan, planning for Phase 2			
Stock Assessments		Domestic u for transbo mgmt. (co haddock, y flounder) (oundary SNE/MA), winter d, SNE/MA), redfish vellowtail Data updates - wi	under (GB, CC/GOM, flounder (GB, GOM, , white hake indowpane flounder pout, wolffish (Sept.)
2026 Priorities			Make additions to list of possible priorities	Final priorities

^{*}Additional: Participate in TMGC, coordinate on EFH designation updates, consult on protected species actions, and provide input for EO 14276

For Today

- Framework 72 / Specifications and Management Measures
 - Receive an update on development of the action
 - Make recommendations to the Committee on preferred alternatives



Framework Adjustment 72 / Specifications and Management Measures



For Today

- Receive an update on development of the action
 - Sub-components analysis
 - SNE/MA yellowtail flounder scallop fishery sub-ACL
- Discuss draft alternatives
- Make recommendations to the Committee on preferred alternatives



Draft Scope

Fishing year (FY) 2026-2028 Specifications and Management Measures, to:

- Revise status determination criteria for Georges Bank (GB) yellowtail flounder,
- Set FY2026 total allowable catches (TACs) for US/Canada management units of Eastern GB cod and Eastern GB haddock, and the GB yellowtail flounder stock,
- Set FY2026 specifications for GB cod, GB haddock, and GB yellowtail flounder
- Set FY2026-FY2030 specifications for CC/GOM yellowtail flounder, SNE/MA yellowtail flounder, GB winter flounder, GOM winter flounder, SNE/MA winter flounder, white hake, Acadian redfish, ocean pout, and Atlantic wolffish,
- Review sub-component analysis for stocks with revised specifications, Atlantic halibut, and others as time permits and,
- Address recreational measures as part of Atlantic cod management transition for Phase 1
 (i.e., Regional Administrator authority to adjust recreational measures for cod and haddock)



Draft Range of Alternatives

- 1. Updated Status Determination Criteria for GB Yellowtail Flounder
- 2. Specifications
 - FY2026 TACs for US/Canada management units of EGB cod and EGB haddock, and GB yellowtail flounder stock
 - FY2026 specifications for GB cod, GB haddock, and GB yellowtail flounder
 - FY2026-FY2030 specifications for CC/GOM yellowtail flounder, SNE/MA yellowtail flounder, GB winter flounder, GOM winter flounder, SNE/MA winter flounder, white hake, Acadian redfish, ocean pout, and Atlantic wolffish,
 - Sub-component analysis for stocks with revised specifications, Atlantic halibut, and other stocks as time permits
- 3. Recreational Fishery Management Measures
 - Establish regulatory process for Regional Administrator to adjust recreational measures for cod and haddock



Draft Council Milestones

- June initiate the action
- September –update on any draft alternatives under other measures
- December receive specifications alternatives and take final action on entire action (specifications and other measures)
- Implementation by May 1, 2026, NMFS



Draft Timeline

Committee/AP/PDT preliminary discussion

	MAY 22	Assessment Oversight Panel meets (fall 2025 assessments)	
JUN 24-26 Council initiates framework		Council initiates framework	
	JUL-SEP	Committee/AP/PDT develop draft alternatives	
	SEP 15-18	Peer review – Management Track Assessments for yellowtail flounder, winter flounder, white hake, and redfish	
	SEP 24-27	Council reviews progress on developing draft alternatives	
	OCT 1	TMGC/SC meets to recommend TACs for US/CA management units of EGB cod and EGB haddock, and GB yellowtail flounder stock	
	OCT 8	SSC recommends OFLs/ABCs for ocean pout* and wolffish*	
	OCT 21-22	SSC recommends OFLs/ABCs for GB cod, GB haddock, yellowtail flounder (GB, CC/GOM, SNE/MA), winter flounder (GB, GOM, SNE/MA), white hake, redfish	
	OCT-NOV	Committee/AP/PDT continue developing draft alternatives and complete impact analysis	
	DEC	Council receives draft alternatives and takes final action	
2026			
	JAN	Preliminary submission of framework document to NMFS	
	FEB	Final submission of framework document to NMFS	
	MAR	NMFS publishes proposed rule	
	MAY 1	Target Implementation	

*Assessment schedule change – data update only



2025

MAY-JUN




FY2026-FY2030 Specifications for Groundfish Stocks


Background: SSC Terms of Reference

The SSC has traditionally recommended groundfish specifications for 3-year intervals, but recent reductions in federal agency resources have highlighted a potential need for increased flexibility in management and regulatory processes. Thus, rather than recommend specifications for FY2026-2028, the SSC was asked to make recommendations for a 5-year period, considering specifications for FY2029 and FY2030 should future gaps in federal resources prevent the provision of updated data.



Cape Cod/Gulf of Maine Yellowtail Flounder Fishing Year 2026 through Fishing Year 2030 OFLs and ABCs








Cape Cod/Gulf of Maine Yellowtail Flounder

MODEL	WHAM, Level 2
STOCK STATUS	Overfished, Overfishing is not occurring
REBUILDING	Rebuilt as of 2022.
RETROSPECTIVE ADJUSTMENT	No
UNCERTAINTIES	- Treatment of the plus age group, as recent catches indicate an expansion of older ages (6+), suggesting that the current grouping may not capture survival dynamics at the upper tail of the age distribution and could bias selectivity and F estimates. Self-test simulation diagnostics, which shows moderate systematic bias: fishing mortality tends to be overestimated, while recruitment and SSB are underestimated.
CHANGES	 Use of age-specific fleet selectivity with random effects Decoupling the yearly random effects in recruitment from the yearly random effects in ages 2+ Revised maturity Revised MADMF fall survey Age-Length Keys (ALKs)

Catch Performance











SSC Recommendations – CC/GOM Yellowtail Flounder

Catch projections at 75% F_{MSY} , FY2028 ABC held constant through FY2030


Fishing Year	OFL (mt)	ABC (mt)
2026	2,224	1,736
2027	2,638	2,062
2028	2,984	2,335
2029	3,225	2,335
2030	3,225*	2,335








Southern New England/Mid-Atlantic Yellowtail Flounder Fishing Year 2026 and Fishing Year 2030 OFLs and ABCs








Southern New England/Mid-Atlantic Yellowtail Flounder

MODEL	WHAM, Level 2		
STOCK STATUS	Overfished, Overfishing is not occurring		
REBUILDING	2029 (70%F _{MSY} Frebuild)		
RETROSPECTIVE ADJUSTMENT	No		
UNCERTAINTIES	 Lack of biological data (length, age, and maturity) in the terminal years. The terminal five years of the assessment have no age composition data. The behavior of the Gulf Stream Index (GSI) in the future is difficult to predict. Recruitment is heavily driven by fluctuations in GSI, which makes recruitment difficult to accurately predict as well. Further development of the WHAM model is needed to be able to more appropriately consider zero values, which occur frequently in the recent time period for this stock. 		
CHANGES	- Lognormal adjustment turned off (best practice guidance is to turn off) - Removal of iid random effects on fleet selectivity, to resolve model convergence issues when additional years of data were added to the model configuration		

Catch Performance










SSC Recommendations – SNE/MA Yellowtail Flounder

70% F_{MSY}, ABC held constant through FY2030


Fishing Year	OFL (mt)	ABC (mt)
2026	46	33
2027	56	33
2028	56*	33
2029	56*	33
2030	56*	33








Georges Bank Winter Flounder Fishing Year 2026 and Fishing Year 2030 OFLs and ABCs






Georges Bank Winter Flounder

MODEL	WHAM, Level 3	
STOCK STATUS	Not Overfished, Overfishing is not occurring	
REBUILDING	2029. 2025 assessment indicates rebuilt.	
RETROSPECTIVE ADJUSTMENT	No	
UNCERTAINTIES	 Low sampling of commercial landings in recent years. Discards from the Canadian bottom trawl are not available for inclusion in the assessment, and the precision of the Canadian scallop dredge discard estimates are uncertain. No size composition data for the Canadian landings or discards. The estimate of natural mortality is not well studied and is assumed to be constant over time. 	
CHANGES	- Revision to catch data to account for an error that incorrectly scaled landings at age values prior to 2003 - Decoupling of numbers-at-age (NAA) random effects	

Catch Performance






Overfishing status in the terminal year of the assessment indicated on the x-axis ("Yes" = overfishing, "No" = not overfishing).

SSC Recommendations – GB Winter Flounder


Catch projections at 75% F_{MSY}


Fishing Year	OFL (mt)	ABC (mt)
2026	2,279	1,785
2027	2,148	1,681
2028	2,079	1,627
2029	2,061	1,613
2030	2,060	1,612





Gulf of Maine Winter Flounder Fishing Year 2026 and Fishing Year 2030 OFLs and ABCs







Gulf of Maine Winter Flounder


MODEL	Empirical 30+ Area-Swept, Level 1	
STOCK STATUS	Overfished status is unknown, Overfishing is not occurring	
REBUILDING	Not in a rebuilding plan and never was declared overfished.	
RETROSPECTIVE ADJUSTMENT	NA	
UNCERTAINTIES	 Missing 2020 and 2023 survey Survey Q uncertainty especially with State surveys Biomass based reference points cannot be determined and overfished status is unknown with this assessment method Lack of biomass response to low exploitation. Though there have been more recent increases in the fall and the spring area-swept biomass estimates. 	
CHANGES	 Revised the catchability estimate, changed from 0.81 to 0.79 in the fall and 0.70 to 0.71 in the spring, using updated surveys averages from the sweep experiment (Miller et al., 2023) Returned to previous assessment method using average of two most recent fall survey indices 	

Catch Performance










SSC Recommendations – GOM Winter Flounder


Average of 2023 and 2024 Fall Surveys X 75%Fmsy Constant Approach


Fishing Year	OFL (mt)	ABC (mt)
2026	1,064	798
2027	1,064	798
2028	1,064	798
2029	1,064	798
2030	1,064	798





Southern New England/Mid-Atlantic Winter Flounder Fishing Year 2026 and Fishing Year 2030 OFLs and ABCs






Southern New England/Mid-Atlantic Winter Flounder

MODEL	ASAP, Level 2	
STOCK STATUS	Not Overfished, Overfishing is not occurring	
REBUILDING	Rebuilt as of 2022.	
RETROSPECTIVE ADJUSTMENT	No	
UNCERTAINTIES	 Population projections are sensitive to the recruitment model chosen, as well as the temporal period selected from which recruitment estimates are drawn. Recruitment and natural mortality are both likely to be dependent on environmental conditions, which cannot be explored within the ASAP framework. Investigations of environmental covariates within a state-space model framework are ongoing. Few length data to characterize recreational discards (though a small component of the total catch). The estimate of natural mortality is not well studied and is assumed to be constant over time. Uncertainty in the true max age 	
CHANGES	- Data updated through 2024	

Catch Performance





Overfishing status in the terminal year of the assessment indicated on the x-axis ("Yes" = overfishing, "No" = not overfishing).


SSC Recommendations – SNE/MA Winter Flounder

Catch projections at 50% F_{MSY} , FY2028 ABC held constant through FY2030


Fishing Year	OFL (mt)	ABC (mt)
2026	961	507
2027	1,009	532
2028	1,055	556
2029	1,101	556
2030	1,101*	556








White Hake Fishing Year 2026 and Fishing Year 2030 OFLs and ABCs






White Hake


MODEL	ASAP, Level 3		
STOCK STATUS	Not Overfished, Overfishing is not occurring		
REBUILDING	2031 (70%F _{MSY} Frebuild)		
RETROSPECTIVE ADJUSTMENT	No		
UNCERTAINTIES	 Catch at age information is not well characterized, due to possible mis-identification of species in the commercial and observer data, particularly in early years, low sampling of commercial landings in some years, and sparse discard length data. Recent addition of an extra-large market category causing possible bias in the age composition Pooled age-length keys (ALKs) and use of survey ALKs to age commercial catch Possible seasonal movement out of defined stock area. Inconsistency between recruitment methods used in the long-term and short-term projections (explored in this assessment but not resolved). 		
CHANGES	- Added bottom longline survey (BLSS) spring and fall indices - Re-aged catch using a combined NEFSC bottom trawl survey (BTS) and BLLS ALK for 2014–2024		

Catch Performance





Overfishing status in the terminal year of the assessment indicated on the x-axis ("Yes" = overfishing, "No" = not overfishing).




SSC Recommendations – White Hake

Catch Projections at 70% F_{MSY}


Fishing Year	OFL (mt)	ABC (mt)
2026	1,943	1,393
2027	1,760	1,261
2028	1,640	1,174
2029	1,618	1,157
2030	1,698	1,215





Acadian Redfish Fishing Year 2026 – Fishing Year 2030 OFLs and ABCs






Acadian Redfish


MODEL	WHAM ('ASAP-like'), Level 3
STOCK STATUS	Not Overfished, Overfishing is not occurring
REBUILDING	Rebuilt
RETROSPECTIVE ADJUSTMENT	Yes for stock status determination. No for short-term projections (no option in WHAM)
UNCERTAINTIES	 Lack of age data from fishery and spring survey in many years is a major source of uncertainty. Lack of model fit to spring and fall survey indices in recent assessments. WHAM improves the fit to both survey indices, but still fails to fit most recent two years of the fall index.
CHANGES	 - Added 4 years of historic commercial age data and 3 years of historic spring survey age data - Change assessment start year from 1913 to 1963 - Change in recruitment model: mean recruitment with AR1 random effects - Use of age-specific fishery and survey selectivity - Change fishery and survey age composition likelihoods: logistic-normal, AR1, missing 0s

Catch Performance





Overfishing status in the terminal year of the assessment indicated on the x-axis ("No" = not overfishing).



SSC Recommendations - Redfish

Catch Projections at 75% F_{MSY}

Fishing Year	OFL (mt)	ABC (mt)
2026	7,519	5,665
2027	7,203	5,427
2028	6,999	5,273
2029	6,723	5,065
2030	6,513	4,907





Ocean Pout Fishing Year 2026 and Fishing Year 2030 OFLs and ABCs






Ocean Pout

MODEL	Index based (exploitation ratio), Data update
STOCK STATUS	Overfished, Overfishing is not occurring (2022 MTA)
REBUILDING	2029 (70%FMSY Frebuild, no projection)
RETROSPECTIVE ADJUSTMENT	N/A
UNCERTAINTIES	No analytical assessment. Missing 2020 and 2023 survey. Data update for 2025.



Catch Performance







SSC Recommendations - Ocean Pout


Status quo catch advice

Fishing Year	OFL (mt)	ABC (mt)
2026	125	87
2027	125	87
2028	125	87
2029	125	87
2030	125	87



Atlantic Wolffish Fishing Year 2026 and Fishing Year 2030 OFLs and ABCs






Atlantic Wolffish

MODEL	SCALE, Data update
STOCK STATUS	Overfished, Overfishing is not occurring (2022 MTA)
REBUILDING	Undefined
RETROSPECTIVE ADJUSTMENT	N/A
UNCERTAINTIES	Uncertainty with regards to 8% discard mortality rate. Low detection in the NEFSC surveys. Ocean Pout Bigelow conversion. Missing surveys in 2020 and spring 2023. Data update for 2025.



Catch Performance







SSC Recommendations - Atlantic Wolffish

Status quo catch advice

Fishing Year	OFL (mt)	ABC (mt)
2026	124	93
2027	124	93
2028	124	93
2029	124	93
2030	124	93





U.S./Canada Transboundary Management Guidance Committee Recommendations

U.S./Canada Science and Management

 Prior to 2024, the Transboundary Resources Assessment Committee (TRAC) provided joint science advice for the Eastern Georges Bank Management Area for the three transboundary stocks (cod, haddock, and yellowtail flounder)

 In March 2024, a "TRAC Improvement Workshop" was convened to develop a new process for the provision of science advice, which was approved by the U.S./Canada Steering Committee in May 2024.



U.S./Canada Science and Management

- New strategies to enhance collaboration and streamline advice
- Eliminated the annual TRAC meeting and replaced it with a process that compiles, but does not seek to reconcile, domestic science products for each country
- Integration of Science Advice for Transboundary Stocks (ISATS)
 - Includes a Technical Science Coordination meeting with stock assessment leads
 - Outcomes for U.S. and Canadian domestic assessments are compiled
 - Domestic assessments are considered equally as the basis for informing advice
 - 2025 process included Georges Bank cod and haddock
 - Georges Bank yellowtail flounder was completed after ISATS process through U.S. Management Track Assessment



U.S./Canada Science and Management

- TMGC is an advisory process to address how catches of transboundary stocks should be allocated to the U.S. and Canada within the Eastern Georges Bank Management Area.
- Includes U.S. industry members from the New England Council, NOAA officials,
 Canadian industry members, and Canada DFO officials
- In 2025, the role of the Council was replaced by NOAA's Principal Deputy Assistant Secretary for International Fisheries
- TMGC negotiated agreements for the three transboundary stocks
- Recommendations considered, but are not constrained by, groundfish ABC control rules and the Council's Risk Policy
- All TMGC recommendations considered stock status, resource conditions, and risk-averse management approaches



U.S./Canada Sharing Agreement

- U.S. and Canada rotate to complete the Resource Allocation shares calculation
- 2025 Canada completed calculations to inform 2026 recommended Total Allowable Catches (TACs)
- The agreement is based on a combination of:
 - Historical utilization by each country 10% weighting
 - Resource distribution from available trawl surveys 90% weighting

```
%share<sub>year,country</sub> = (\alpha_{year} x %utilization<sub>year,country</sub>) + (\beta_{year} x %resource distribution<sub>year,country</sub>) where \alpha_{year} = percentage weighting for utilization in year \beta_{year} = percentage weighting for resource distribution in year \alpha_{year} + \beta_{year} = 100%
```



U.S./Canada Sharing Agreement

	Resourc	e Utilization								
		Cod	Haddock	Yellowtail						
USA		40%	45%	98%						
CANADA		60%	55%	2%						
	Resourc	e Distribution				Weighting		Allo	cation Shares	:
	Survey				Fishing					
	Year	Cod	Haddock	Yellowtail	Year	Utilization	Distribution	Cod	Haddock	Yellowtail
USA	2020	27%	47%	57%	2022	10%	90%	28%	47%	61%
CANADA		73%	53%	43%				72%	53%	39%
USA	2021	25%	42%	48%	2023	10%	90%	26%	42%	53%
CANADA		75%	58%	52%				74%	58%	47%
USA	2022	27%	30%	36%	2024	10%	90%	29%	31%	42%
CANADA		73%	70%	64%				71%	69%	58%
USA	2023	21%	18%	43%	2025	10%	90%	23%	21%	48%
CANADA		79%	82%	57%				77%	79%	52%
USA	2024	31%	19%	49%	2026	10%	90%	32%	21%	54%
CANADA		69%	81%	51%				68%	79%	46%





U.S. Biomass Apportionment

- For cod and haddock, the Canadian assessment considers Eastern Georges Bank (EGB) as individual stocks, whereas the U.S. assessments include a larger portion of Georges Bank (GB)
- To address spatial differences, NEFSC developed a biomass apportionment method to determine the portion of cod and haddock biomass distributed within the Eastern Georges Bank Management Area
- Results are intended to be informational, not determinative
- Method reviewed by SSC in July 2024
- 2025 updates included:
 - Revised haddock methods to fully align apportionment with survey footprint used in the GB haddock assessment



U.S. Biomass Apportionment

2025 Apportionment Results

Used data from 1992-2024

	EGB apportionment	Terminal year
GB Haddock	75%	2024
GB Cod	100%	2024






Proposed FY2026 US/Canada TACs

	Eastern GB Cod	Eastern GB Haddock	GB Yellowtail Flounder
Total Shared TAC	473	4,750	57
U.S. TAC	151	998	31
Canada TAC	322	3,752	26



Georges Bank Cod OFL and ABC for FY2026



Georges Bank Cod

- U.S. Georges Bank
 - WHAM
 - 2023 Research Track
 - 2024 Management Track
 - Data updated through 2023
 - High probability of overfished
 - Overfishing not occurring

- Canada Eastern Georges Bank
 - WHAM
 - 2025 Framework
 - 2025 Assessment
 - Data updated through 2024
 - High probability of Critical Zone
 - Low fishing mortality



Georges Bank Cod



Model	Parameter	2024 Value	2025 Value	2026 Value
DFO EGB Cod	SSB (mt)	10,900	7,899	6,462
Model Values (terminal year of	F	0.030	0.041	0.052
data = 2024)	Catch (mt)	378	452	473
	SSB (mt)	2,486 (929 – 6,653)	2,089 (499 – 8,739)	1,658 (277 – 9,937)
NMFS GB Cod 2024 Model Values (terminal year of data = 2023)	F	0.152	0.233	0.233
	Catch (mt)	417	518	419
	Apportioned catch (mt) in EGB for 2026			419



Georges Bank Cod Summary

ISATS:

• "The most influential differences between the two cod models appear to be the impact of the different spatial footprints on the fundamental dynamics modeled and differences in how the catch value that is reported is estimated and what it represents."

• TMGC:

- "Both countries agreed to use the 2025 Canadian assessment for EGB cod..."
 - This assessment incorporates the latest data and applies a fishing mortality (F) strategy defined as a very low risk of preventable decline
 - Consistent with TMGC approach of reducing fishing pressure when stock productivity is poor
 - Lowest ever agreed TAC
 - TAC will help to maintain some operations on EGB, but will continue to limit other fisheries in 2026




Georges Bank Cod FY2026 OFL & ABC

Fishing Year	Proposed OFL (mt)	Proposed ABC (mt)	U.S. ABC (mt)
2026	473	473	151





Georges Bank Haddock OFL and ABC for FY2026




Georges Bank Haddock

- U.S. Georges Bank
 - WHAM
 - 2022 Research Track
 - 2024 Management Track
 - Data updated through 2023
 - Not overfished
 - Overfishing not occurring

- Canada Eastern Georges Bank
 - WHAM
 - 2022 Research Track
 - 2025 Assessment
 - Data updated through 2024
 - High probability of Healthy Zone
 - Fref not exceeded





Georges Bank Haddock

Model	Parameter	2024 Value	2025 Value	2026 Value
DFO EGB Haddock	SSB (mt)	27,342	23,713	15,180
Model Values (terminal year of	F	0.311	0.534	0.339
data = 2024)	Catch (mt)	6,219	7,410	2,480-3,850 ¹
NINATC CD III III I	SSB (mt)	34,180 (14,038 - 83,225)	34,516 (10,532 - 113,116)	36,029 (8,534 - 152,117)
NMFS GB Haddock 2024 Model Values	F ₅₋₇	0.316 (0.116 - 0.859)	0.264	0.264
(terminal year of data = 2023)	Catch (mt)	9,627	8,034 (2,430 - 26,570)	8,177 (1,956 - 34,188)
	Apportioned	catch (mt) in EGB for 20	6,133	



Georges Bank Haddock Summary

ISATS:

 "The most influential differences between the two haddock models appear to be the impact of adding 2024 data and assumptions regarding M."

• TMGC:


- "Based on a review of the domestic assessment products provided by both countries..."
 - This stock is not overfished, overfishing is not occurring, and is considered to the in the healthy zone
 - A 36% decrease was considered a significant one-year reduction which corresponds to the Canadian assessment projections
 - The agreed TAC is below the apportioned U.S. advice but above the range of the Canadian advice based on the EGB assessment



Georges Bank Haddock FY2026 OFL & ABC

Fishing Year	Proposed OFL (mt)	Proposed ABC (mt)	U.S. ABC (mt)
2026	8,177	8,177	4,425






Georges Bank Yellowtail Flounder OFL and ABC for FY2026



Georges Bank Yellowtail Flounder

- U.S. Georges Bank
 - WHAM
 - 2024 Research Track
 - 2025 Management Track
 - Data updated through 2024
 - Overfished
 - Overfishing not occurring





Georges Bank Yellowtail Summary

• TMGC:

- "Canadian science and resource management authorities agreed that U.S. science would provide catch advice..."
 - Assessment is an improvement from the previous empirical-based "Limiter" approach
 - This stock is overfished, and overfishing is not occurring
 - Stock status based on Canadian reference points remains unknown, but is assumed the stock would be in the critical zone
 - Recent survey values and stock biomass remain low and productivity is poor
 - Recent fishery catches remain well below recent quotas
 - TAC advice is deemed appropriate as it represents a decrease from the recent quota






Georges Bank Yellowtail Flounder FY2026 OFL & ABC

Fishing Year	Proposed OFL (mt)	Proposed ABC (mt)	U.S. ABC (mt)
2026	57	57	31





Summary of OFLs and ABCs for FY2026-FY2030

Fishing	Year

	<u>2026</u>		<u>2027</u>		<u>2028</u>		<u>2029</u>		<u>2030</u>	
Stock	OFL	ABC								
Eastern Gulf of Maine										
cod	50	39	39	30						
Western Gulf of Maine										
cod	603	460	769	586						
Georges Bank cod	473	473								
Southern New England										
cod	47	36	65	36						
Georges Bank haddock	8,177	8,177								
Gulf of Maine haddock	4,709	3,634	4,700	3,631						
Georges Bank yellowtail										
flounder	57	57								
Southern New										
England/Mid-Atlantic										
yellowtail flounder	46	33	56	33	56*	33	56*	33	56*	33
Cape Cod/Gulf of Maine										
yellowtail flounder	2,224	1,736	2,638	2,062	2,984	2,335	3,225	2,335	3,225*	2,335
American plaice	8,866	6,979	7,368	5,791						
Witch flounder	unknown	1,526	unknown	1,526						

Summary of OFLs and ABCs for FY2026-FY2030

<u>Fishing Year</u>										
	<u>2026</u>		<u>2027</u>		<u>2028</u>		<u>2029</u>		<u>2030</u>	
Stock	OFL	ABC	OFL	ABC	OFL	ABC	OFL	ABC	OFL	ABC
Georges Bank winter										
flounder	2,279	1,785	2,148	1,681	2,070	1,627	2,061	1,613	2,060	1,612
Gulf of Maine winter										
flounder	1,064	798	1,064	798	1,064	798	1,064	798	1,064	798
Southern New										
England/Mid-Atlantic										
winter flounder	961	507	1,009	532	1,055	556	1,101	556	1,101*	556
Redfish	7,519	5,665	7,203	5,427	6,999	5,273	6,723	5,065	6,513	4,907
White hake	1,943	1,393	1,760	1,261	1,640	1,174	1,618	1,157	1,698	1,215
Pollock	14,583	11,170	13,383	10,252						
Northern windowpane										
flounder	unknown	136								
Southern windowpane										
flounder	284	213								
Ocean pout	125	87	125	87	125	87	125	87	125	87
Atlantic halibut	unknown	106	unknown	106						
Atlantic wolffish	124	93	124	93	124	93	124	93	124	93

Sub-component Analysis – October 31, 2025

- The PDT confirmed its approach of using the three-year recent average of year-end catch for determining state and other sub-components, in the absence of other information.
- The final year-end catch report for FY2024 is not yet available, given delays due to the partial federal government shutdown. The PDT used preliminary FY2024 catch data from GARFO in the calculations along with final year-end catch data from FY2022 and FY2023.
- The PDT compared the current other fisheries and/or state waters sub-component percentages (and associated values) to the updated 3-year average catch (FY2022-FY2024) to develop recommendations.



Sub-component Analysis – October 31, 2025

Georges Bank Cod

Given uncertainty with Amendment 25 and the absence of a FY2024 catch estimate for the revised stock unit at this time, the PDT recommends maintaining the subcomponent percentage from last year as included in Framework 69/revised Amendment 25.

Atlantic Halibut

In the absence of in-season 2025 Canadian landings information or any substantial change in Canadian landings, the PDT recommends not updating state and other subcomponents for Atlantic halibut at this time.



Sub-component Analysis – October 31, 2025

Transboundary Stocks

- The PDT notes that with the new TMGC process there is greater potential to annually revise the ABCs for the three transboundary stocks of GB cod, GB haddock, and GB yellowtail flounder (with TMGC recommending total shared TAC set equal to ABC).
- The Committee may wish to consider whether the PDT should annually evaluate the sub-components for these stocks under the new TMGC process, or whether evaluation of sub-components for the transboundary stocks is tied to some other trigger, for example, when there is a U.S. stock assessment.



Canadian Catch Estimates – Georges Bank Winter Flounder & White Hake

 The PDT used 3-year (2022, 2023, and 2024) calendar year average catch (or landings) from the 2025 Management Track Assessment to determine a Canadian catch estimate

GB Winter Flounder Canadian catch (mt) - 2025 Assessment

Calendar Year	Canadian landings	Canadian scallop dredge discard	Total
2019	19	18	37
2020	21	49	70
2021	7	22	29
2022	3	42	45
2023	3	56	59
2024	27	86	113
3-Yr Avg			72

White Hake Canadian landings (mt) - 2025 Assessment

Calendar Year	Canadian landings
2019	24
2020	83
2021	48
2022	39
2023	25
2024	29
3-Yr Avg	31



Canadian Catch Estimates - Atlantic Halibut

- The PDT followed an alternate approach (from FW69) using the most recent final year (2023) of Canadian landings as the 2026 Canadian catch estimate (71 mt).
- If final 2024 and in-season 2025 Canadian landings in 5Z and 5Y is available in time, the PDT may update its Canadian catch estimate for 2026.

Summary of recent Canadian halibut landings (mt) in NAFO areas 5Y and 5Z

Calendar Year	Canadian Landings in 5Z and 5Y
2019	54
2020	157
2021	119
2022	92
2023	71
2024 preliminary	70



Sub-component analysis

Comparison by stock of the current sub-component values and the PDT's recommendation using the three-year (FY2022-FY2024) average or alternative approach and justification.

	Sub-Component – Percentage of ABC									
		State	waters (%)	Other (%)						
Stock	FY25	Recommendation	Justification	FY25	Recommendation	Justification				
GB cod	No sta	te waters catch of this	s stock	NA	8%	Maintain 8% as				
					12mt	recommended in FW69/revised A25.				
GB haddock	0%	0%	Average catch is so low	0.5%	0.5%	Maintain 0.5% to cover				
	0mt	0mt	(0.5mt) that sub-component	7.8mt	22mt	FY2022-FY2024 average				
			can remain at 0mt.			catch of 12.2mt.				
GB yellowtail	No sta	te waters catch of this	s stock	0%	0%	Maintain 0%, as there has				
flounder				0mt	0mt	been no catch of GB				
						yellowtail flounder by other				
						fisheries in recent years.				
CC/GOM	3%	1%	Decrease by 2% to cover	4%	2%	Decrease by 2% to cover				
yellowtail flounder	28mt	17mt	FY2022-FY2024 average	37mt	35mt	FY2022-FY2024 average				
			catch of 14.4mt. Provides	0	00	catch of 38.9mt.				
			buffer for other fisheries catch.							
SNE/MA	0.5%	0.5%	Maintain 0.5% to cover	5%	2%	Decrease to 2% to cover				
yellowtail flounder	0.2mt	0.2mt	FY2022-FY2024 average	2mt	0.7mt	FY2022-FY2024 average				
	0.21110	0.21110	catch of 0mt.	21110	0.71110	catch of 0.6mt.				

Sub-component analysis

Comparison by stock of the current sub-component values and the PDT's recommendation using the three-year (FY2022-FY2024) average or alternative approach and justification.

	Sub-Component – Percentage of ABC											
		State wa	aters (%)	Other (%)								
Stock	FY25	Recommendation	Justification	FY25	Recommendation	Justification						
GB winter	No state	e waters catch of this	stock	1%	2.5%	Increase by 1.5% to cover the						
flounder				15mt	43mt	FY2022-FY2024 average catch of 41.3mt.						
GOM winter	19%	12%	Decrease by 7% to cover	1.5%	1%	Decrease by 0.5% to cover the						
flounder	153mt	96mt	the EV2022 EV2024		8mt	FY2022-FY2024 average catch of 8.3mt.						
SNE/MA winter	3%	5%	fishery catch. Increase by 2% to cover the	23%	16%	Decrease by 7% to cover the						
flounder	19mt	25mt	FY2022-FY2024 average catch of 25.5mt.	144mt		FY2022-FY2024 average catch of 79.3mt. Provides buffer for state catch.						
White hake	0%	0%	Average catch is so low	0.5%	0.5%	Maintain at 0.5% to cover the						
	0mt	0mt	(0.9mt) that sub-component can remain at 0mt.	10mt	6.8mt	FY2022-FY2024 average catch of 6.1mt. Provides buffer for state catch.						

Sub-component analysis

Comparison by stock of the current sub-component values and the PDT's recommendation using the three-year (FY2022-FY2024) average or alternative approach and justification.

	Sub-Component – Percentage of ABC												
		Stat	e waters (%)	Other (%)									
Stock	FY25	5 Recommendation Justification		FY25	Recommendation	Justification							
Redfish	0%	0.5%	Increase by 0.5% to cover the	0%	0%	Average catch is so							
	0mt	28mt	FY2022-FY2024 average catch of 4mt. Provides buffer for other fishery	0mt	0mt	low (3.7mt) that sub- component can							
	40/	10/	catch.	000/	0 = 0 /	remain at 0mt.							
Ocean pout	1%	1%	Maintain at 1% to cover the FY2022-	39%	35%	Decrease by 4% to							
	0.4mt	0.9mt	FY2024 average catch of 1.4mt.		31mt	cover the FY2022- FY2024 average catch of 28.6mt. Provides buffer for state catch.							
Atlantic halibut	26%	26%	Maintain 26% as recommended in	4.5%	4.5%	Maintain 4.5% as							
	9.1mt	9.1mt	FW69.	1.6mt	1.6mt	recommended in FW69.							
Atlantic wolffish	0%	0%	Maintain 0%, as there has been no	0%	0%	Maintain 0%, as							
	0mt	0mt	catch of Atlantic wolffish by state fisheries in recent years.	0mt	0mt	there has been no catch of Atlantic							
						wolffish by other							
						fisheries in recent							
						years.							

Key Discussion Questions and Decision Points

 Does the Committee accept the PDT's recommendations for subcomponents?

• Should the PDT evaluate sub-components for the transboundary stocks annually under the new TMGC process, or by some other trigger (for example, when there is a U.S. stock assessment)?



SNE/MA Yellowtail Flounder Scallop Fishery Sub-ACL

- Presently, the sub-ACL is determined at 90% of the Scallop PDT's projected catch for the fishery, which was set at 2.7 mt for FY2023-FY2025.
- This year, the Scallop PDT is unable to conduct bycatch projections, because they do not have area-specific projections of scallop catch under each alternative, nor updated d/K ratios (ratio of discards to all kept catch) for each stock/projection area.
- The Groundfish PDT discussed possible alternative approaches:
 - Set sub-ACL based on updated fishery catches at 90% of average FY2023-FY2024 catch (2023 catch = 2.1 mt; 2024 catch 0.27 mt [590 lb])
 - Set sub-ACL based on current allocation at 90% of FY2025 sub-ACL



Scallop PDT Discussion – October 30, 2025

- The Scallop PDT discussed recent fishery catches of SNE/MA yellowtail flounder and effort in the SNE/MA yellowtail flounder stock area
 - The conditions that led to higher SNE/MA yellowtail flounder catches in-season FY2025 are not likely to occur in FY2026 - Nantucket Lightship West will be open but with low scallop biomass so expect lower effort there.
 - Uncertainty with the preliminary in-season catch estimate majority of catch is from one month and one area
 - Concern that the Mid-Atlantic AM area does not include the area where these FY2025 SNE/MA yellowtail flounder catches occurred. This mismatch warrants further discussion for future years.
 - Likely to be increased open bottom fishing in FY2026 in the SNE/MA yellowtail flounder stock area.



Groundfish PDT Discussion – October 31, 2025

- The Groundfish PDT recommends setting the SNE/MA yellowtail flounder scallop fishery sub-ACL at 90% of the FY2025 sub-ACL, which would be 2.4 mt.
 - This keeps consistency with the approach and with the intent of keeping bycatch low without constraining the scallop fishery.
 - Supported by the Scallop PDT
- The PDT recommends setting the sub-ACL for all five years in the specifications cycle (FY2026-FY20230) and planning to revisit next year (2026) with new data and updated bycatch projections.



Key Discussion Questions

 Does the Committee support the Groundfish PDT recommendations for the SNE/MA yellowtail flounder sub-ACL for the scallop fishery?



Action 1 – Status Determination Criteria

Which alternatives do you recommend?

Alternative 1 – No action

Status determination criteria (SDCs) would not be adopted for GB yellowtail flounder

Alternative 2 – Updated Status Determination Criteria for GB Yellowtail Flounder

 Adopts updated SDCs for GB yellowtail flounder from the 2025 Management Track Stock Assessment



Action 2 - Revised Specifications

Which alternatives do you recommend?

Alternative 1 - No Action

Default specifications for many stocks

Alternative 2 – Revised Specifications

- FY2026 TACs for US/Canada management units of EGB cod and EGB haddock, and GB yellowtail flounder stock
- FY2026 specifications for GB cod, GB haddock, and GB yellowtail flounder
- FY2026-FY2030 specifications for CC/GOM yellowtail flounder, SNE/MA yellowtail flounder, GB winter flounder, GOM winter flounder, SNE/MA winter flounder, white hake, Acadian redfish, ocean pout, and Atlantic wolffish,
- Sub-component analysis for stocks with revised specifications, Atlantic halibut, and other stocks as time permits

Action 3 – Recreational Fishery Management

Which alternatives do you recommend?

Alternative 1 – No Action

 Maintains the process for RA to adjust recreational measures for stocks with recreational sub-ACLs only

Alternative 2 – Establish Regulatory Process for Regional Administrator to Adjust Recreational Measures for Cod and Haddock

 Establishes a regulatory process for the RA to adjust recreational measures for all stocks of cod and haddock



For Today

- Receive an update on development of the action
 - Sub-components analysis
 - SNE/MA yellowtail flounder scallop fishery sub-ACL
- Discuss draft alternatives


Make recommendations to the Committee on preferred alternatives




Extra Slides



Commercial Groundfish Fishery In-Season Catch








Quota Change Model Results - Sectors

		Sector sub-	Catch (IIIt)		Utiliza	tion (%)	Gross Rev (\$mil, 2024)	
_	FY	ACL	Realized	Predicted	Realized	Predicted	Realized	Predicted
_	2012	1021	954	391	0.94	0.33	3.5	0.7
	2013	466	377	423	0.81	0.74	1.5	1.6
	2014	463	249	338	0.54	0.72	0.8	1.3
	2015	437	372	204	0.85	0.46	1.4	0.8
CC/GOM	2016	327	249	177	0.76	0.54	1.1	0.6
Yellowtail Flounder	2017	326	196	237	0.60	0.73	0.8	1.0
Tiounaci	2018	381	165	380	0.43	1.00	0.5	1.6
	2019	377	141	282	0.37	0.74	0.4	1.0
	2020	656	182	178	0.28	0.27	0.4	0.5
	2021	651	284	124	0.44	0.19	0.6	0.3
	2022	661	287	344	0.43	0.53	0.4	0.6
	2023	931	299	165	0.32	0.18	0.4	0.3
	2024	876	259	339	0.30	0.41	0.3	0.5






Other Fishery and State Fishery Sub-components Catch

Other significant sources of CC/GOM yellowtail flounder catch include:


- scallop fishery (27.8 mt in FY2023) and
- state commercial fishery (8.5 mt in FY2023).

These other fishery and state sub-components are expected catches and do not have accountability measures (AMs) associated.






Projected Cohorts




Source: NEFSC By 2028 50% of projected catch is from projected recruits






Commercial Groundfish Fishery In-Season Catch








Quota Change Model Results - Sectors


		Sector sub-	Catch (mt)		Utiliz	Utilization (%)		Gross Rev (\$mil, 2024)	
_	FY	ACL	Realized	Predicted	Realized	Predicted	Realized	Predicted	
	2012	607	426	148	0.70	0.20	1.9	0.1	
	2013	488	282	455	0.58	0.88	1.5	1.9	
	2014	462	313	450	0.68	1.00	1.4	2.0	
	2015	460	174	457	0.38	1.00	0.9	1.8	
SNE/MA Yellowtail	2016	169	45	138	0.26	0.95	0.4	0.5	
Flounder	2017	176	11	120	0.06	0.77	0.1	0.4	
Tiounaci	2018	35	7	34	0.20	1.00	< 0.1	0.1	
	2019	36	3	16	0.07	0.61	< 0.1	0.1	
	2020	13	1	12	0.07	1.00	< 0.1	< 0.1	
	2021	12	<1	3	0.02	0.25	< 0.1	< 0.1	
	2022	12	<1	1	0.01	0.09	< 0.1	< 0.1	
	2023	25	<1	1	0.00	0.02	< 0.1	< 0.1	
	2024	27	<1	<1	0.01	0.00	< 0.1	< 0.1	






Scallop Fishery Sub-ACL

- Presently, the sub-ACL is determined at 90% of the Scallop PDT's projected catch for the fishery, which was set at 2.7 mt for FY2023-FY2025.
- In FY2023, the scallop fishery caught 79% of its sub-ACL (2.1 mt out of 2.7 mt).
- The preliminary in-season GARFO catch report indicates 191.5% of the sub-ACL has been caught in FY2025, and so the scallop fishery may exceed its sub-ACL in 2025.
- AMs can be triggered under certain conditions, and these AMs would require gear modifications in a subsequent year following an overage.






Projected Cohorts




Source: NEFSC

New England


By 2027-2028 greater than 50% of projected catch is from projected recruits



Commercial Groundfish Fishery In-Season Catch








Quota Change Model Results - Sectors

		Sector sub-	Catc	Catch (mt)		Utilization (%)		Gross Rev (\$mil, 2024)	
_	FY	ACL	Realized	Predicted	Realized	Predicted	Realized	Predicted	
	2012	3,367	1,931	941	0.57	0.16	11.3	5.2	
	2013	3,506	1,722	1,780	0.49	0.46	8.2	10.2	
	2014	3,356	1,149	2,031	0.34	0.60	6.5	11.7	
CD	2015	1,873	869	1,870	0.46	1.00	4.9	9.0	
GB Winter	2016	585	423	456	0.72	0.78	4.1	3.2	
Flounder	2017	615	378	409	0.61	0.66	3.4	3.5	
Tiounuci	2018	725	420	598	0.58	0.83	3.7	5.6	
	2019	742	306	480	0.41	0.63	2.4	4.2	
	2020	502	290	498	0.58	0.99	1.5	4.3	
	2021	517	262	292	0.51	0.54	1.8	2.2	
	2022	551	148	236	0.27	0.46	0.9	1.6	
	2023	1,585	222	232	0.14	0.15	1.0	1.2	
	2024	1,488	627	257	0.42	0.18	2.7	1.2	






Other Fisheries Sub-components Catch


Other significant sources of GB winter flounder catch include the scallop fishery (55.9 mt in FY2023).

These other fishery sub-components are expected catches and do not have accountability measures (AMs) associated.






Projected Cohorts




Source: NEFSC




By 2028 greater than 50% of projected catch is from projected recruits



Commercial Groundfish Fishery In-Season Catch








Quota Change Model Results - Sectors

		Sector sub-	Catc	h (mt)	Utilization (%)		Gross Rev (\$mil, 2024)	
	FY	ACL	Realized	Predicted	Realized	Predicted	Realized	Predicted
	2012	690	258	33	0.37	0.05	1.5	0.1
	2013	688	168	119	0.24	0.16	0.8	0.7
	2014	683	124	117	0.18	0.17	0.7	0.7
COM	2015	371	118	96	0.32	0.26	0.6	0.5
GOM	2016	607	109	85	0.18	0.14	0.8	0.4
Winter Flounder	2017	607	111	148	0.18	0.24	0.9	1.0
Pidundei	2018	339	91	164	0.27	0.48	0.6	1.2
	2019	337	57	161	0.17	0.48	0.4	1.1
	2020	272	55	95	0.20	0.35	0.4	0.6
	2021	267	69	48	0.26	0.18	0.3	0.3
	2022	259	75	87	0.29	0.33	0.3	0.4
	2023	519	105	41	0.20	0.07	0.4	0.2
	2024	553	100	93	0.18	0.18	0.5	0.3






Other Fishery and State Fishery Sub-components Catch


There are notable recreational catches of GOM winter flounder in state waters (67.6 mt in FY2023), as well as commercial state fishery catches (43.6 mt in FY2023).

These other fishery and state fishery sub-components are expected catches and do not have accountability measures (AMs) associated.






Commercial Groundfish Fishery In-Season Catch








Quota Change Model Results - Sectors

		Sector sub-	Catc	h (mt)	Utiliza	tion (%)	Gross Rev (\$mil, 2024)	
	FY	ACL	Realized	Predicted	Realized	Predicted	Realized	Predicted
	2012	N/A	105	69	N/A	N/A	5.4	1.2
	2013	1,074	670	125	0.62	0.37	4.2	0.0
	2014	1,063	490	95	0.46	0.10	3.6	0.0
	2015	1,147	583	833	0.51	0.73	3.5	3.5
SNE/MA Winter	2016	523	397	355	0.76	0.69	2.6	2.0
Flounder	2017	515	372	386	0.72	0.74	2.6	3.3
Tiounaci	2018	456	229	428	0.50	0.94	3.4	3.3
	2019	444	135	455	0.30	1.00	3.4	3.5
	2020	475	97	314	0.21	0.68	3.6	3.5
	2021	247	83	163	0.34	0.64	3.4	3.1
	2022	250	78	131	0.31	0.53	0.3	0.7
	2023	387	14	168	0.04	0.44	0.1	0.8
	2024	408	50	13	0.12	0.03	0.2	< 0.1






Other Fishery and State Fishery Sub-components Catch


Other significant sources of SNE/MA winter flounder catch include:

- scallop fishery (17.4 mt in FY2023),
- squid fishery (19.4 mt in FY2023), and
- state recreational fishery (20.8 mt in FY2023)

These other fishery and state sub-components are expected catches and do not have accountability measures (AMs) associated.







White Hake


Recruitment and projection methodology

Current Approach:


- SSBMSY estimated using the SAW56 approved method of long-term projections at an F40%proxy for FMSY using a CDF of recruitment from the model times series minus the last two years (1963-2022)
- However, short-term projections used for catch advice were developed using the SAW56 method of recruitment from 1995-2022 since there was a declining trend in recruitment

Alternative Approach:

- Cadrin 2023 uses projected recruitment based on a lognormal distribution with autocorrelated error in recruitment
- Using the autocorrelation in recruitment in the projections eliminates the need for the development of a separate long-term projection for BRP estimates and short-term projections for catch advice









Quota Change Model Results - Sectors


		Sector sub-	Catch (mt)		Utilizat	tion (%)	Gross Rev (\$mil, 2024)		
	FY	ACL	Realized	Predicted	Realized	Predicted	Realized	Predicted	
-	2012	3,257	2,414	1,980	0.74	0.43	9.3	5.8	
	2013	4,142	2,025	2,570	0.49	0.70	7.7	8.2	
	2014	4,308	1,721	1,932	0.40	0.45	7.3	7.4	
	2015	4,313	1,581	1,689	0.37	0.39	6.3	6.4	
White	2016	3,434	1,432	1,780	0.42	0.52	5.6	7.1	
Hake	2017	3,333	2,014	2,071	0.60	0.62	5.6	8.3	
	2018	2,713	2,083	1,907	0.77	0.70	5.4	7.1	
	2019	2,715	2,044	2,691	0.75	0.99	5.1	7.1	
	2020	2,004	1,790	1,839	0.89	0.92	5.2	4.8	
	2021	1,994	1,930	1,995	0.97	1.00	6.6	4.6	
	2022	1,970	1,824	1,906	0.93	0.97	5.7	5.8	
	2023	1,808	1,747	1,719	0.97	0.95	4.9	5.6	
	2024	1,905	1,741	1,904	0.91	1.00	4.8	5.2	









Inter-Sector ACE Lease Prices - Sectors









Projected Cohorts




- Note: with ASAP and AGEPRO unable to produce this for catch (uses SSB instead)
- By 2028 25% of projected SSB is from projected recruits (50% by 2030)











Quota Change Model Results - Sectors

		Sector sub-	Catch (mt)		Utiliza	tion (%)	Gross Rev (\$mil, 2024)		
_	FY	ACL	Realized	Predicted	Realized	Predicted	Realized	Predicted	
_	2012	8,291	4,423	2,064	0.53	0.17	7.4	3.1	
	2013	10,092	3,996	3,361	0.40	0.31	5.7	5.4	
	2014	10,521	4,682	3,363	0.45	0.32	7.0	4.8	
	2015	10,970	5,284	4,145	0.48	0.38	8.5	5.9	
Redfish	2016	9,474	4,078	6,860	0.43	0.72	6.8	10.5	
	2017	10,127	4,647	4,199	0.46	0.41	6.9	6.6	
	2018	10,705	5,361	4,650	0.50	0.43	7.2	7.4	
	2019	10,915	4,957	4,993	0.45	0.46	7.0	7.1	
	2020	11,085	6,712	4,894	0.61	0.44	9.5	6.4	
	2021	9,537	4,353	4,634	0.46	0.49	6.5	6.3	
	2022	9,459	3,856	5,267	0.41	0.56	6.3	6.8	
	2023	9,369	3,921	4,027	0.42	0.43	5.8	6.3	
	2024	8,226	5,347	2,912	0.65	0.37	6.7	4.4	






Projected Cohorts




The vertical black line marks the start of the projection period.

Source: NEFSC

Reliance on projected recruits in catch projections less of an issue for redfish – given life history as long-lived species







Ocean pout is a zero possession, non-allocated stock





Other Fisheries Sub-component Catch

 Increases of ocean pout catches in squid, squid/whiting, and fluke fisheries are consistent with trends in the groundfish fishery - driven by increases in observed bycatch in small and large-mesh otter trawl gears in the Georges Bank/Southern New England (GB_SNE) estimation region Ocean pout discard rates for large mesh otter trawl gear on non-groundfish trips


FISHING YEAR	GEAR GROUP	MESH CATEGORY	REGION	DISCARD RATE
2020	50	LM	GB_SNE	0.000122
2021	50	LM	GB_SNE	0.000147
2022	50	LM	GB_SNE	0.000799
2023	50	LM	GB_SNE	0.000292
2024	50	LM	GB_SNE	0.003134

Ocean pout discard rates for small mesh otter trawl gear on non-groundfish trips

FISHING YEAR	GEAR GROUP	MESH CATEGORY	REGION	DISCARD RATE
2020	50	SM	GB_SNE	0.000027
2021	50	SM	GB_SNE	0.000811
2022	50	SM	GB_SNE	0.000431
2023	50	SM	GB_SNE	0.000085
2024	50	SM	GB_SNE	0.001199








Wolffish is a zero possession, non-allocated stock






Georges Bank Haddock



Georges Bank Yellowtail



	Council Actions								
	Emergency Action Amendment 25 v2		Framework 69			Framework 72			
Stock	FY2025	FY2026	FY2027	FY2025	FY2026	FY2027	FY2026	FY2027	FY2028
Eastern Gulf of Maine cod		✓	✓						
Western Gulf of Maine cod	$\sqrt{1}$	✓	✓						
Georges Bank cod	V -	✓					√3		
Southern New England cod		✓	✓						
Georges Bank haddock	✓			√2			✓		
Gulf of Maine haddock	✓			√2	✓	✓			
Georges Bank yellowtail flounder	✓			√2	✓		✓		
Southern New England/Mid-Atlantic yellowtail flounder							✓	✓	✓
Cape Cod/Gulf of Maine yellowtail flounder							✓	✓	✓
American plaice	✓			√2	✓	✓			
Witch flounder	✓			√2	✓	✓			
Georges Bank winter flounder							✓	✓	✓
Gulf of Maine winter flounder							✓	✓	✓
Southern New England/Mid-Atlantic winter flounder							✓	✓	✓
Redfish									
White hake							✓	✓	✓
Pollock	✓			√2	✓	✓			
Northern windowpane flounder							√4	√4	√4
Southern windowpane flounder							√4	√4	√4
Ocean pout							√5	√5	√5
Atlantic halibut	✓			√2	✓	✓			
Atlantic wolffish							√5	√ 5	√5

¹ Proposed ABCs in Framework 69 were combined to distribute specifications for GOM and GB cod stocks.

² Specifications will replace those included in the emergency action.

³ Specifications will replace those included in Amendment 25.

⁴ Potential to be omitted from FW72.

⁵ 2025 Management track assessments have been deferred to data updates only.